

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 13/06/2023 Revision date: 03/10/2024 Supersedes version of: 08/05/2024 Version: 2.2

4.4. Desidered tales (Max	
1.1. Product identifier	
Product form Product name UFI Product code Type of product	 Mixture The Pink Stuff The Miracle Laundry Sensitive Detergent Non Bio PAT1-W09X-S00D-RESQ BLE656 Detergent
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Relevant identified uses Intended for general public Main use category Use of the substance/mixture Use of the substance/mixture Function or use category	 Consumer use Laundry Detergent Cleaning/washing agents and additives Cleaning/washing agents and additives
1.3. Details of the supplier of the s	arety data sheet
Supplier Star Brands Manufacturing Ltd Century Way 1175 Thorpe Park LS15 8ZB Leeds T +44 (0) 113 2666 300 sds@starbrandsltd.co.uk, https://www.sta	Only Representative Star Brands EU, c/o Allegro, Innovation Factory, BT12 7DG Belfast Ireland brandsltd.co.uk/ T +31850806794 sds@starbrandsltd.co.uk

Emergency number

: +44 (0) 113 2666 300 EU: T +31850806794 (09.00-17.00 Mon-Fri) +441865407333 _NCEC's English language only number for the EMEA region. +12024642554 _ NCEC's English language only number for the Americas region. New Zealand emergency number - 111 (Healthline - 0800 611 116)

Country/Area	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals
United Kingdom	NHS 111/NHS 24/NHS Direct		111 0845 4647	or call a doctor

SECTION 2: Hazards identification

2.1. Classification of th	e substance or mixture	\$
Classification according to	o Regulation (EC) No. 127	2/2008 [CLP]
Skin corrosion/irritation, Cat	egory 2	H315
Serious eye damage/eye irri	itation, Category 2	H319
Full text of H- and EUH-state	ements: see section 16	

Adverse physicochemical, human health and environmental effects

Causes skin irritation. Causes serious eye irritation.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements	
Labelling according to Regulation (EC)	No. 1272/2008 [CLP]
Hazard pictograms (CLP)	
Signal word (CLP)	GHS07 : Warning
Contains	: Sodium Laureth Sulfate; Benzene Sulphonic acid, triethanolamine salt; C12-14 Pareth- 7
Hazard statements (CLP)	: H315 - Causes skin irritation.
	H319 - Causes serious eye irritation.
Precautionary statements (CLP)	: P102 - Keep out of reach of children.
	P103 - Read label before use.
	P264 - Wash hands thoroughly after handling.
	P280 - Wear protective gloves / eye protection.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P332+P313 - If skin irritation occurs: Get medical advice/attention.
	P337+P313 - If eye irritation persists: Get medical advice/attention.
	P501 - Dispose of contents / container in accordance with local regulations.
2.2 Other hererde	

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzene Sulphonic acid, triethanolamine salt	CAS-No.: 27323-41-7 EC-No.: 248-406-9	≥5-<10	Acute Tox. 4 (Oral), H302 (ATE=1653 mg/kg bodyweight) Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412
C12-14 Pareth- 7 (Polymer)	CAS-No.: 157627-86-6	≥3-<5	Acute Tox. 4 (Oral), H302 (ATE=300 mg/kg bodyweight) Eye Dam. 1, H318 Aquatic Chronic 3, H412
Sodium Laureth Sulfate	CAS-No.: 68891-38-3 EC-No.: 500-234-8	≥3-<5	Skin Irrit. 2, H315 Eye Dam. 1, H318
2,2',2"-nitrilotriethanol citrate	CAS-No.: 29340-81-6 EC-No.: 249-576-7	≥1-<3	Aquatic Chronic 2, H411
2-phenoxyethanol substance with national workplace exposure limit(s) (AT, DE, FI, PL, SI, CH)	CAS-No.: 122-99-6 EC-No.: 204-589-7 EC Index-No.: 603-098-00-9 REACH-no: 01-2119488943- 21	≥ 0.05 - < 0.5	Acute Tox. 4 (Oral), H302 (ATE=1394 mg/kg bodyweight) STOT SE 3, H335 Eye Dam. 1, H318

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
LIMONENE substance with national workplace exposure limit(s) (DE, ES, FI, NL, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 227-813-5 EC Index-No.: 601-096-00-2 REACH-no: 01-2119529223- 47	≥ 0.05 – < 0.5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
N-(3-Aminopropyl)-N-dodecylpropane-1,3-diamine substance with national workplace exposure limit(s) (DE, SI, CH)	CAS-No.: 2372-82-9 EC-No.: 219-145-8 REACH-no: 01-2119980592- 29	< 0.05	Acute Tox. 3 (Oral), H301 (ATE=261 mg/kg bodyweight) Skin Corr. 1B, H314 STOT RE 2, H373 Aquatic Chronic 1, H410 (M=10)
PINENE substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO)	CAS-No.: 80-56-8 EC-No.: 201-291-9 REACH-no: 01-2119519223- 49	< 0.05	Flam. Liq. 3, H226 Skin Sens. 1, H317 Skin Irrit. 2, H315 Asp. Tox. 1, H304
CITRAL substance with national workplace exposure limit(s) (BE, ES, IE, PL)	CAS-No.: 5392-40-5 EC-No.: 226-394-6 EC Index-No.: 605-019-00-3 REACH-no: 01-2119462829- 23	< 0.05	Skin Irrit. 2, H315 Skin Sens. 1, H317

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: If you feel unwell, seek medical advice.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
First-aid measures for first aider	: First aid workers will be equipped with suitable personal protective equipment.
4.2. Most important symptoms and effects,	both acute and delayed
Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.
Symptoms/effects after skin contact	: Irritation.
Symptoms/effects after eye contact	: Eye irritation.
Symptoms/effects after ingestion	: None under normal conditions.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measured	res
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	Water spray. Dry powder. Foam. Carbon dioxide.Do not use a heavy water stream.
5.2. Special hazards arising from th	e substance or mixture
Fire hazard	: No fire hazard.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Explosion hazard Hazardous decomposition products in case of fire	No direct explosion hazard.Toxic fumes may be released.
5.3. Advice for firefighters	
Firefighting instructions	: Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equipment and emergency procedures			
General measures	: Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.		
For non-emergency personnel			
Protective equipment	: Wear recommended personal protective equipment.		
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes.		
For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
Emergency procedures	: Evacuate unnecessary personnel. Stop leak if safe to do so.		
6.2. Environmental precautions			
Avoid release to the environment.			
6.3. Methods and material for conta	ainment and cleaning up		
For containment	: Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.		
Methods for cleaning up	: Take up liquid spill into absorbent material.		

: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections For further information refer to section 13.

Other information

SECTION 7: Handling and storage				
7.1. Precautions for safe handling				
Additional hazards when processed Precautions for safe handling	 Not expected to present a significant hazard under anticipated conditions of normal use. Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment. 			
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.			
7.2. Conditions for safe storage, including	any incompatibilities			
Technical measures Storage conditions Packaging materials	 Keep in a cool, well-ventilated place away from heat. Keep cool. Protect from sunlight. Store always product in container of same material as original container. 			

7.3. Specific end use(s)

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls: Ensure good ventilation of the work station.

Personal protection equipment

Personal protective equipment:

Wear recommended personal protective equipment. Personal protective equipment symbol(s):



Eye and face protection

Eye protection: Safety glasses. Safety glasses (EN 166)

Skin protection

Skin and body protection:

Wear suitable protective clothing. Protective clothing (EN 14605 or EN 13034)

Hand protection:

Wear protective gloves. Protective gloves against chemicals (EN 374)

Respiratory protection

Respiratory protection: In case of insufficient ventilation, wear suitable respiratory equipment

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	:	Liquid
Colour	:	pink.
Appearance	:	Liquid.
Odour	:	Fruity.
Odour threshold	:	Not available
Melting point	:	Not applicable
Freezing point	:	Not available
Boiling point	:	Not available
Flammability	:	Not available
Lower explosion limit	:	Not available
Upper explosion limit	:	Not available
Flash point	:	Not available
Auto-ignition temperature	:	Not available
Decomposition temperature	:	Not available
рН	:	6.8 – 7.3
Viscosity, kinematic	:	Not available
Viscosity, dynamic	:	500 – 2500 cP
Solubility	:	Not available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 1.01 – 1.06 g/ml
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008				
Acute toxicity (dermal)	Not classified Not classified Not classified			
Sodium Laureth Sulfate (68891-38-3)				
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)			
LD50 oral	> 2000 mg/kg bodyweight			
LD50 dermal rat	≥ 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)			
LD50 dermal	> 2000 mg/kg bodyweight			
2-phenoxyethanol (122-99-6)				
LD50 oral	1850 mg/kg bodyweight			
LD50 dermal rat	14391 mg/kg bodyweight Animal: rat, Remarks on results: other:			
LD50 dermal rabbit	> 2214 mg/kg bodyweight Animal: rabbit, Guideline: other:			
LD50 dermal	14391 mg/kg bodyweight			
LC50 Inhalation - Rat	> 1 mg/l air Animal: rat, Guideline: other:			

Safety Data Sheet

2-phenoxyethanol (122-99-6)				
LC50 Inhalation - Rat (Dust/Mist)	> 1000 mg/l			
2,2',2"-nitrilotriethanol citrate (29340-81-6)				
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method), Guideline: EPA OPPTS 870.1100 (Acute Oral Toxicity), Guideline: other:			
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)			
N-(3-Aminopropyl)-N-dodecylpropane-1,3-di	amine (2372-82-9)			
LD50 oral	261 mg/kg bodyweight			
LD50 dermal rat	> 600 mg/kg bodyweight Animal: rat, Guideline: EU Method B.3 (Acute Toxicity (Dermal)), Remarks on results: other:			
LD50 dermal	> 600 mg/kg bodyweight			
LIMONENE (5989-27-5)				
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)			
LD50 oral	4400 mg/kg bodyweight			
LD50 dermal	> 2000 mg/kg bodyweight			
CITRAL (5392-40-5)				
LD50 oral rat	≈ 6800 mg/kg bodyweight Animal: rat			
LD50 oral	4960 mg/kg bodyweight			
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat			
LD50 dermal	2250 mg/kg bodyweight			
PINENE (80-56-8)				
LD50 oral	3700 mg/kg bodyweight			
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal))			
LD50 dermal	> 5000 mg/kg bodyweight			
Benzene Sulphonic acid, triethanolamine sa	lt (27323-41-7)			
LD50 oral	1653 mg/kg bodyweight			
LD50 dermal	> 4199 mg/kg bodyweight			
C12-14 Pareth- 7 (157627-86-6)				
LD50 oral rat	300 – 2000 mg/kg bodyweight			
LD50 dermal rat	> 2000 mg/kg			
Skin corrosion/irritation	Causes skin irritation.			
Serious eye damage/irritation	pH: 6.8 – 7.3 Causes serious eye irritation. pH: 6.8 – 7.3			
Respiratory or skin sensitisation	Not classified			
Germ cell mutagenicity	Not classified			
Carcinogenicity	Not classified			

Safety Data Sheet

CITRAL (5392-40-5)	
NOAEL (chronic, oral, animal/male, 2 years)	60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
Reproductive toxicity :	Not classified
2-phenoxyethanol (122-99-6)	
LOAEL (animal/male, F1)	≈ 1875 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: other:
LOAEL (animal/female, F1)	≈ 1875 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: other:
NOAEL (animal/female, F0/P)	≈ 1875 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: other:
2,2',2"-nitrilotriethanol citrate (29340-81-6)	
NOAEL (animal/female, F0/P)	300 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test), Guideline: other:
LIMONENE (5989-27-5)	
NOAEL (animal/female, F0/P)	600 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: other:
STOT-single exposure :	Not classified
2-phenoxyethanol (122-99-6)	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure :	Not classified
Sodium Laureth Sulfate (68891-38-3)	
LOAEL (oral, rat, 90 days)	25 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents)
NOAEL (oral, rat, 90 days)	> 225 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents)
2-phenoxyethanol (122-99-6)	·
LOAEL (oral, rat, 90 days)	> 700 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)
LOAEL (dermal, rat/rabbit, 90 days)	> 500 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)
NOAEL (dermal, rat/rabbit, 90 days)	500 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)
2,2',2"-nitrilotriethanol citrate (29340-81-6)	
LOAEC (inhalation, rat, dust/mist/fume, 90 days)	0.02 mg/l air Animal: rat, Animal sex: male, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study)
N-(3-Aminopropyl)-N-dodecylpropane-1,3-dia	mine (2372-82-9)
LOAEL (dermal, rat/rabbit, 90 days)	5 mg/kg bodyweight Animal: rat, Guideline: EPA OPP 82-3 (Subchronic Dermal Toxicity 90 Days)
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
CITRAL (5392-40-5)	
LOAEC (inhalation, rat, gas, 90 days)	68 ppm Animal: rat, Animal sex: female
NOAEL (oral, rat, 90 days)	100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
NOAEC (inhalation, rat, gas, 90 days)	34 ppm Animal: rat, Animal sex: female

Safety Data Sheet

CITRAL (5392-40-5)	
NOAEL (subchronic, oral, animal/male, 90 days)	60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
Aspiration hazard	Not classified
11.2. Information on other hazards	
Endocrine disrupting properties	
Adverse health effects caused by endocrine disrupting properties	: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %
Other information	
Other information	: The substance/mixture has no endocrine disrupting properties.

SECTION 12: Ecological information	
12.1. Toxicity	
Hazardous to the aquatic environment, short-term : acute)	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. Not classified Not classified
Sodium Laureth Sulfate (68891-38-3)	
EC50 - Crustacea [1]	7.4 mg/l Test organisms (species): Daphnia magna
EC50 - Other aquatic organisms [1]	> 1 mg/l waterflea
EC50 - Other aquatic organisms [2]	> 10 mg/l
EC50 72h - Algae [1]	27.7 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
NOEC (chronic)	0.27 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	0.14 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '28 d'
2-phenoxyethanol (122-99-6)	
EC50 - Crustacea [1]	> 500 mg/l Test organisms (species): Daphnia magna
EC50 - Other aquatic organisms [1]	> 500 mg/l waterflea
EC50 - Other aquatic organisms [2]	443 mg/l
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
2,2',2"-nitrilotriethanol citrate (29340-81-6)	
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 6 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	3.5 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
N-(3-Aminopropyl)-N-dodecylpropane-1,3-dia	amine (2372-82-9)
EC50 - Crustacea [1]	0.0775 mg/l Test organisms (species): Daphnia magna

Safety Data Sheet

N-(3-Aminopropyl)-N-dodecylpropane-1,3-dia	nine (2372-82-9)		
EC50 - Other aquatic organisms [1]	0.073 mg/l waterflea		
EC50 - Other aquatic organisms [2]	0.054 mg/l		
EC50 72h - Algae [1]	0.02 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)		
EC50 72h - Algae [2]	0.012 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)		
LOEC (chronic)	0.066 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		
NOEC (chronic)	0.024 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		
LIMONENE (5989-27-5)			
LC50 - Fish [2]	702 µg/l Test organisms (species): Pimephales promelas		
EC50 - Crustacea [1]	0.307 mg/l Test organisms (species): Daphnia magna		
EC50 - Crustacea [2]	0.51 mg/l Test organisms (species): Daphnia magna		
EC50 - Other aquatic organisms [1]	0.36 mg/l waterflea		
EC50 72h - Algae [1]	0.32 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)		
EC50 72h - Algae [2]	0.214 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)		
CITRAL (5392-40-5)			
EC50 - Crustacea [1]	6.8 mg/l Test organisms (species): Daphnia magna		
EC50 - Other aquatic organisms [1]	7 mg/l waterflea		
EC50 - Other aquatic organisms [2]	5 mg/l		
EC50 72h - Algae [1]	103.8 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)		
PINENE (80-56-8)			
EC50 - Crustacea [1]	0.475 mg/l Test organisms (species): Daphnia magna		
EC50 - Other aquatic organisms [1]	1.44 mg/l waterflea		
Benzene Sulphonic acid, triethanolamine salt	(27323-41-7)		
EC50 - Other aquatic organisms [1]	15 mg/l waterflea		
EC50 - Other aquatic organisms [2]	> 10 mg/l		
C12-14 Pareth- 7 (157627-86-6)	•		
LC50 - Fish [1]	1 – 10 ml/l Brachydanio rerio		
EC50 - Crustacea [1]	1 – 10 ml/l Daphnia magna		
EC50 72h - Algae [1]	1 – 10 mg/l Scenedesmus subspicatus		
NOEC chronic crustacea	0.1 – 1		
EC10, microorganisms, activated sludge	1000 mg/l		
12.2. Persistence and degradability			
The Pink Stuff The Miracle Laundry Sensitive Detergent Non Bio			
Persistence and degradability	Not rapidly degradable		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Sodium Laureth Sulfate (68891-38-3)			
Persistence and degradability	Not rapidly degradable		
2-phenoxyethanol (122-99-6)			
Persistence and degradability	Not rapidly degradable		
2,2',2"-nitrilotriethanol citrate (29340-81-6)			
Persistence and degradability	Not rapidly degradable		
N-(3-Aminopropyl)-N-dodecylpropane-1,3-diamine (2372-82-9)			
Persistence and degradability	Not rapidly degradable		
LIMONENE (5989-27-5)			
Persistence and degradability	Not rapidly degradable		
CITRAL (5392-40-5)			
Persistence and degradability	Not rapidly degradable		
PINENE (80-56-8)			
Persistence and degradability	Not rapidly degradable		
Benzene Sulphonic acid, triethanolamine salt	(27323-41-7)		
Persistence and degradability	Not rapidly degradable		
C12-14 Pareth- 7 (157627-86-6)			
Persistence and degradability	Not rapidly degradable		
12.3. Bioaccumulative potential			
2-phenoxyethanol (122-99-6)			
Partition coefficient n-octanol/water (Log Pow)	1.09		
N-(3-Aminopropyl)-N-dodecylpropane-1,3-diar	nine (2372-82-9)		
Partition coefficient n-octanol/water (Log Pow)	-0.17		
LIMONENE (5989-27-5)			
Partition coefficient n-octanol/water (Log Pow)	4.38		
CITRAL (5392-40-5)			
Partition coefficient n-octanol/water (Log Pow)	2.8		
PINENE (80-56-8)			
Partition coefficient n-octanol/water (Log Pow)	4.32		
Benzene Sulphonic acid, triethanolamine salt (27323-41-7)			
Partition coefficient n-octanol/water (Log Pow)	1.85		
12.4. Mobility in soil			

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.6. Endocrine disrupting properties		
lo additional information available		
2.7. Other adverse effects		
lo additional information available		
SECTION 13: Disposal considerations		

Regional waste regulation	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations.
Additional information	: Do not re-use empty containers.

SECTION 14: Transport information

13.1. Waste treatment methods

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID r	number	· · ·		
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shippin	ig name	· · ·		
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard	class(es)	L		
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group		· · ·		
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental haz	zards	· · ·		
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

14.6. Special precautions for user

Overland transport Not applicable

Transport by sea

Not applicable

Air transport Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 15: Regulatory information 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU-Regulations REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Detergent Regulation (648/2004)

Allergenic fragrances > 0.01 %: HEXYL CINNAMAL LIMONENE

Labelling of contents		
Component	%	
anionic surfactants	5-15%	
phosphonates	<5%	
disinfectants		
optical brighteners		
BENZISOTHIAZOLINONE		
perfumes		
6072350 Rhubarb Spritz 109		
LIMONENE		
HEXYL CINNAMAL		

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

Safety Data Sheet

SECTION 16: Other information			
Indication of changes	Indication of changes		
Section	Changed item	Comments	
	Supersedes version of	Modified	
	Revision date	Modified	
	Adverse health effects caused by endocrine disrupting properties	Added	
1.2	Intended for general public	Added	
2.1	Adverse physicochemical, human health and environmental effects	Modified	
2.1	Intended for general public	Added	
3	Composition/information on ingredients	Modified	
4.1	First-aid measures for first aider	Added	
4.1	First-aid measures general	Added	
4.1	First-aid measures after skin contact	Modified	
4.1	First-aid measures after eye contact	Modified	
4.2	Symptoms/effects after skin contact	Added	
4.2	Symptoms/effects after eye contact	Added	
4.2	Symptoms/effects after ingestion	Added	
4.2	Symptoms/effects after inhalation	Added	
5.1	Unsuitable extinguishing media	Added	
5.2	Explosion hazard	Added	
5.2	Fire hazard	Added	
5.3	Firefighting instructions	Added	
6.1	Emergency procedures	Added	
6.1	Protective equipment	Added	
6.1	General measures	Added	
6.1	Emergency procedures	Modified	
6.3	For containment	Added	
7.1	Additional hazards when processed	Added	
7.1	Precautions for safe handling	Modified	
7.1	Hygiene measures	Modified	
7.2	Technical measures	Added	
7.2	Packaging materials	Added	
7.2	Storage conditions	Modified	
8.2	Hand protection	Modified	
8.2	Eye protection	Modified	
8.2	Skin and body protection	Modified	
8.2	Personal protective equipment	Added	
9	Flammability	Removed	

Safety Data Sheet

Indication of changes		
Section	Changed item	Comments
11.1	Other information	Added
12.1	Ecology - general	Modified
13.1	Product/Packaging disposal recommendations	Added
13.1	Sewage disposal recommendations	Added
13.1	Additional information	Added
13.1	Regional waste regulation	Added

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disruptor

Other information

 "The skin and/or eye classification of this product was derived using bridging principles (such as dilution, interpolation within one hazard category or substantially similar mixtures; with or without expert judgement) following Article 9(3) and Article 9(4) of Regulation (EC) No 1272/2008.
 DetNet logging number: [DetNet/1665]".

Full text of H- and EUH-statements:		
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Flam. Liq. 3	Flammable liquids, Category 3	
H226	Flammable liquid and vapour.	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H335	May cause respiratory irritation.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
Skin Sens. 1B	Skin sensitisation, category 1B
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.